

## Head and Neck Cancer

More than 55,000 Americans will develop cancer of the head and neck (most of which is preventable) this year; nearly 13,000 of them will die from it.

### ***Early detection of head and neck cancer***

Tobacco use is the most preventable cause of these deaths. In the United States, up to 200,000 people die each year from smoking-related illnesses. The good news is that this figure has decreased due to the increasing number of Americans who have quit smoking. The bad news is that some of these smokers switched to smokeless or spit tobacco, assuming it is a safe alternative. This is untrue. By doing this, they are merely changing the site of the cancer risk from their lungs to their mouth. While lung cancer cases are down, cancers in the head and neck appear to be increasing. Cancer of the head and neck is curable if caught early.

Fortunately, most head and neck cancers produce early symptoms. You should know the potential warning signs so you can alert your doctor as soon as possible. Remember—successful treatment of head and neck cancer can depend on early detection. Knowing and recognizing the signs of head and neck cancer can save your life.

### ***Symptoms of head and neck cancer***

**A lump in the neck...**Cancers that begin in the head or neck usually spread to lymph nodes in the neck before they spread elsewhere. A lump in the neck that lasts more than two weeks should be seen by a physician as soon as possible. Of course, not all lumps are cancer. But a lump (or lumps) in the neck can be the first sign of cancer of the mouth, throat, voicebox (larynx), thyroid gland, or of certain lymphomas or blood cancers. Such lumps are generally painless and continue to enlarge steadily.

**Change in the voice...**Most cancers in the larynx cause some changes in voice. Any hoarseness or other voice change lasting more than two weeks should alert you to see your physician. An otolaryngologist is a head and neck specialist who can examine your vocal cords easily and painlessly. While most voice changes are not caused by cancer, you shouldn't take chances. If you are hoarse more than two weeks, see your doctor.

**A growth in the mouth...**Most cancers of the mouth or tongue cause a sore or swelling that doesn't go away. These sores and swellings may be painless unless they become infected. Bleeding may occur, but often not until late in the disease. If an ulcer or swelling is accompanied by lumps in the neck, be concerned. Your dentist or doctor can determine if a biopsy (tissue sample test) is needed and can refer you to a head and neck surgeon to perform this procedure.

**Bringing up blood...**This is often caused by something other than cancer. However, tumors in the nose, mouth, throat, or lungs can cause bleeding. If blood appears in your saliva or phlegm for more than a few days, you should see your physician.

**Swallowing problems...**Cancer of the throat or esophagus (swallowing tube) may make swallowing solid foods difficult. Sometimes liquids can also be troublesome. The food may "stick" at a certain point and then either go through to the stomach or come back up. If you have trouble almost every time you try to swallow something, you should be examined by a physician. Usually a barium swallow x-ray or an esophagoscopy (direct examination of the swallowing tube with a telescope) will be performed to find the cause.

**Persistent earache...**Constant pain in or around the ear when you swallow can be a sign of infection or tumor growth in the throat. This is particularly serious if it is associated with difficulty in swallowing, hoarseness or a lump in the neck. These symptoms are best evaluated by an otolaryngologist.

### ***Identifying high risk of head and neck cancer***

The use of tobacco and alcoholic beverages causes 90% of head and neck cancers. Cigarettes, cigars, chewing tobacco, or snuff and alcoholic beverages are closely linked with cancers of the mouth, throat, voice box, and tongue. In adults who neither smoke nor drink, cancer of the mouth and throat are nearly nonexistent.

**What you should do...**All of the symptoms and signs described here can occur with benign conditions as well. But you can't tell without an examination. So, if they do occur, see your doctor—and be sure.

When found early, most cancers in the head and neck can be cured. Cure rates for these cancers could be greatly improved if people would seek medical advice as soon as possible. So play it safe. If you think you have one of the warning signs of head and neck cancer, see your doctor right away and practice health habits which will make these diseases unlikely to occur.